

FREQUENTLY MADE MISTAKES AND TRUTHS IN THE PREPARATION PROCESS

Only the first letter of the article title should be capitalized, other letters should be written in lowercase

Comparison of Rapid Test of Bovine Rotavirus and Bovine Coronavirus in Anatolian Water Buffaloes with Polymerase Chain Reaction ❌

Comparison of rapid test of bovine rotavirus and bovine coronavirus in anatolian water buffaloes with polymerase chain reaction ✔️

Keywords should be written in capital letters only the first letter of the first word, and the others in lower case

Keywords: Anatolian Water Buffaloes, Bovine Coronavirus, Bovine Rotavirus, RT-PCR ❌

Keywords: Anatolian water buffaloes, bovine coronavirus, bovine rotavirus, RT-PCR ✔️

Information under the title of Acknowledgment or Acknowledgment should be given on the title page.

291 Acknowledgements

292 We would like to address our respects and appreciations to first line healthcare workers who
293 are put their valuable efforts and lost their life during the fighting previous and current endemic
294 or pandemic outbreaks for protect those of our lives. ❌

45 Critical Review: Dursun Ali Dinç

46 Acknowledgement ✔️

47 This article has been prepared by the master thesis of the first author and oral presentation at the 5th National Heard Health & Management Congress and 1st International Heard Health & Management Congress on 14-17 October 2018.

51 Conflict of Interest

52 The authors did not report any conflict of interest or financial support.

Only the first letter of the first word of subtitles should be written in capital and italic

Polymerase Chain Reaction:

Dimethyl sulfoxide (0.8 µl), 0.6 µl End-9 of the rotavirus primers, and 0.6 µl S-Beg were added onto each of the 5 µl RNA products, and they were mixed with a straw in order to homogenize them. The mixture was incubated at 94 °C for 5 min and then kept on ice. Following incubation, 10 µl 5X Flexi Green Buffer, 5 µl MgCl₂ (25 mM), 1 µl dNTP, 1 µl Primer F (20 pmol), 1 µl

Polymerase chain reaction

Dimethyl sulfoxide (0.8 µl), 0.6 µl End-9 of the rotavirus primers, and 0.6 µl S-Beg were added onto each of the 5 µl RNA products, and they were mixed with a straw in order to homogenize them. The mixture was incubated at 94 °C for 5 min and then kept on ice. Following incubation, 10 µl 5X Flexi Green Buffer, 5 µl MgCl₂ (25 mM), 1 µl dNTP, 1 µl Primer F (20 pmol), 1 µl

Paragraph beginning should not be indented

The samples were collected with sterile cotton swabs from the rectums of the animals. The fecal samples were suspended at a ratio of 1/10 in phosphate-buffered saline (PBS), which included 25,000 U/ml penicillin and 20 mg/ml streptomycin and centrifuged at +4°C, 3000 rpm for 15 min after which the supernatant was transferred into a sterile tube and stored at -80°C until RT-PCR assays were done. Following centrifugation, 200 µl of the supernatant was taken and transferred into a 1.5 ml RNase-free sterile tube. The High Pure Viral RNA isolation kit (Roche. Cat. No: 11858874001, Mannheim, Germany.) was used for RNA extraction. ❌

The samples were collected with sterile cotton swabs from the rectums of the animals. The samples were suspended at a ratio of 1/10 in phosphate-buffered saline (PBS), which included 25,000 U/ml penicillin and 20 mg/ml streptomycin and centrifuged at +4°C, 3000 rpm for 15 min after which the supernatant was transferred into a sterile tube and stored at -80°C until RT-PCR assays were done. Following centrifugation, 200 µl of the supernatant was taken and transferred into a 1.5 ml RNase-free sterile tube. The High Pure Viral RNA isolation kit (Roche. Cat. No: 11858874001, Mannheim, Germany.) was used for RNA extraction. ✔️

In order for the blind peer review to be carried out in a healthy way, the name, number, date etc. of the ethics committee or the institution for which the permit was obtained. information should not be given in the text (generally materials and methods). This information should be given on the cover page.

93 Materials and Methods ❌

96 Ethical approval

97 Approval of the study was obtained from institutional ethics board of the Veterinary Faculty of Selçuk University (No: 2020/52).

27 Ethical approval ✔️

28 Approval of the study was obtained from institutional ethics board of the Veterinary Faculty of Selçuk University (No: 2020/52)

Anonymous sources are not suitable in the rules of our journal. Do not use anonymous resources

75 biri olan *Orthocoronavirinae*, çoğunlukla insanları enfekte eden virüsleri
76 *Orthocoronavirinae* alt ailesinin Alfa-, Beta-, Gamma-, Deltacoronavirus olmak üzere dört
77 genusu vardır. Bu dört genus ayrıca alt genoslara da ayrılır. Taksonomi kurulu tarafından
78 yapılan sınıflandırma ile, SARS ve SARS-CoV2, *Betacoronavirus* genusunda yer alan
79 *Sarbecovirus* alt genusunda bulunmaktadır (Anonymous 2019). ❌

75 *Orthocoronavirinae* alt ailesinin Alfa-, Beta-, Gamma-, Deltacoronavirus olmak üzere dört
76 genusu vardır. Bu dört genus ayrıca alt genoslara da ayrılır. Taksonomi kurulu tarafından
77 yapılan sınıflandırma ile, SARS ve SARS-CoV2, *Betacoronavirus* genusunda yer alan
78 *Sarbecovirus* alt genusunda bulunmaktadır (ICTV 2019). ✔️

In the title page, in the author names section and author contributions section, only the first letter of the words should be capitalized and the author names should be written clearly, not abbreviated.

26 Author Contributions

B. Taylan KOÇ ❌

29 Motivation / Concept: B. Taylan KOÇ

¹Aydın Adnan Menderes University, Veterinary Faculty, Department of Virolo

30 Writing the Article: B. Taylan KOÇ

31 Critical Review: B. Taylan KOÇ

32

concept: Bahattin Taylan Koç

Bahattin Taylan Koç ✔️

çile: Bahattin Taylan Koç

¹Aydın Adnan Menderes University, Veterinary Faculty, Department of

: Bahattin Taylan Koç

While giving p value in statistical expressions, the letter p should be written in lowercase and in parentheses.

161 ANOVA with Bonferroni post-test was employed to compare

162 C and D. Analyses were considered as significant at P < 0.05. ❌

ANOVA with Bonferroni post-test was employed to compare between the four

B, C and D. Analyses were considered as significant at (p < 0.05). ✔️

Prepare your tables in the article as in the sample article file. Do not use bold font in the table. Do not color in different shades in the table. Use horizontal lines only in the top and bottom lines in the table (vertical lines will not be used in the table). Do not import your tables from another application (excel, power point, acrobat etc.) by copy and paste. Make your tables with the option to create a table in the Word file you upload to the system.

Table 1. Macroscopic scoring of corneal

| Score | The severity of corneal cloudiness |
|-------|--|
| 0 | Clear cornea |
| 1 | Transparent cornea with visible anterior chamber details |
| 2 | Blur to see the anterior chamber clearly |
| 3 | A blur so that the pupil and iris details cannot be seen |
| 4 | Turbidity where no structure other than the cornea is seen |

Table 1. Macroscopic scoring of corneal cloudiness

| Score | The severity of corneal cloudiness |
|-------|--|
| 0 | Clear cornea |
| 1 | Transparent cornea with visible anterior chamber details |
| 2 | Blur to see the anterior chamber clearly |
| 3 | A blur so that the pupil and iris details cannot be seen |
| 4 | Turbidity where no structure other than the cornea is seen |